



## FOR JAPANESE VEHICLES (JIS Conventional series)

Model (JIS)	Capacity 20Hr(AH)	Dimension (mm)				Lay-Out	Terminal	Approx. Wt.(kg)	Approx. Acid(ltr)
		L	W	H	TH				
12N24-4	26AH	184	125	160	175	1	C	5.7	2.1
12N24-3	26AH	184	125	160	175	0	C	5.7	2.1
NS40	32AH	198	127	200	224	1	B	7.2	2.4
NS40L	32AH	198	127	200	224	0	B	7.2	2.4
NS40Z	35AH	198	127	200	224	1	B	8.2	2.2
NS40ZL	35AH	198	127	200	224	0	B	8.2	2.2
N40	40AH	235	128	200	224	1	A	7.6	2.8
N40L	40AH	235	128	200	224	0	A	7.6	2.8
NS60	45AH	235	128	200	224	1	B	8.8	2.6
NS60L	45AH	235	128	200	224	0	B	8.8	2.6
NS60S	45AH	235	128	200	224	1	A	9.0	2.6
NS60LS	45AH	235	128	200	224	0	A	9.0	2.6
55D23R	60AH	229	170	200	223	1	A	9.8	5.3
55D23L	60AH	229	170	200	223	0	A	9.8	5.3
N50	50AH	260	170	201	225	1	A	9.1	5.3
N50L	50AH	260	170	201	225	0	A	9.1	5.3
N50Z	60AH	260	170	201	225	1	A	10.7	5.2
N50ZL	60AH	260	170	201	225	0	A	10.7	5.2
NS70	65AH	260	170	201	225	1	A	12.3	5.0
NS70L	65AH	260	170	201	225	0	A	12.3	5.0
N70	70AH	305	171	201	225	1	A	12.6	5.7
N70L	70AH	305	171	201	225	0	A	12.6	5.7
N70Z	70AH	305	171	201	225	1	A	14.3	5.5
N70ZL	70AH	305	171	201	225	0	A	14.3	5.5
NX120-7	80AH	305	171	201	225	1	A	15.8	5.2
NX120-7L	80AH	305	171	201	225	0	A	15.8	5.2
N100A	95AH	405	173	209	231	1	A	16.0	7.4
N100	100AH	405	173	209	231	1	A	16.1	7.1
N100L	100AH	405	173	209	231	0	A	16.1	7.1
N120A	110AH	512	182	210	238	4	A	19.3	9.8
N120	120AH	512	182	210	238	4	A	20.8	9.6
N150A	140AH	512	212	210	238	4	A	23.0	10.9
N150	150AH	512	212	210	238	4	A	25.2	10.7
N180	180AH	516	273	216	242	4	A	28.8	14.9
N200A	190AH	516	273	216	242	4	A	30.5	14.6
N200	200AH	516	273	216	242	4	A	32.4	14.3

## FOR EUROPEAN VEHICLES (DIN Conventional series)

Model (JIS)	Capacity 20Hr(AH)	Dimension (mm)				Lay-Out	Terminal	Base Hold down	Approx. Wt.(kg)	Approx. Acid(ltr)
		L	W	H	TH					
54434 (DIN44L)	44AH	207	175	190	190	0	A	B3	7.8	3.8
54449 (DIN44R)	44AH	207	175	190	190	1	A	B3	7.8	3.8
55530 (DIN55L)	55AH	245	175	190	190	0	A	B3	10.9	3.4
55548 (DIN55R)	55AH	245	175	190	190	1	A	B3	10.9	3.4
56618 (DIN66L)	66AH	280	175	190	190	0	A	B3	12.7	3.7
58827 (DIN88L)	88AH	352	175	190	190	0	A	B3	15.2	4.8
58828 (DIN88R)	88AH	352	175	190	190	1	A	B3	15.2	4.8
60038 (DIN100L)	100AH	352	175	190	190	0	A	B3	17.3	4.5
67018 (DINBL)	170AH	511	223	193	217	3	A	-	28.2	9.1